
REFERENCES

Ann Gastroenterol. 2014;27(4):357-361.

First- and second-line Helicobacter pylori eradication with modified sequential therapy and modifiedlevofloxacin-amoxicillin-based triple therapy.

Zullo A¹, Ridola L², Efrati C³, Giorgio F⁴, Nicolini G³, Cannaviello C³, Alvaro D², Hassan C¹, Gatta L⁵, Francesco VD⁴.

Gastroenterol Hepatol. 2014 Sep;37 Suppl 3:40-52. doi: 10.1016/S0210-5705(14)70082-2.

[Diseases linked to Helicobacter pylori infection].

Gisbert JP.

Biomed Res Int. 2014;2014:151543. Epub 2014 Aug 28.

Quinolone-Containing Therapies in the Eradication of Helicobacter pylori.

Chuah SK¹, Tai WC¹, Lee CH², Liang CM¹, Hu TH¹.

Dig Dis Sci. 2014 Sep 19. [Epub ahead of print]

Helicobacter Pylori First-Line and Rescue Treatments in the Presence of Penicillin Allergy.

Gisbert JP¹, Barrio J, Modolell I, Molina-Infante J, Aisa AP, Castro-Fernández M, Rodrigo L, Cosme A, Gisbert JL, Fernández-Bermejo M, Marcos S, Marín AC, McNicholl AG.

PLoS One. 2014 Aug 20;9(8):e105822. doi: 10.1371/journal.pone.0105822. eCollection 2014.

The clinical and bacteriological factors for optimal levofloxacin-containing triple therapy in second-lineHelicobacter pylori eradication.

Tai WC¹, Lee CH², Chiou SS¹, Kuo CM¹, Kuo CH¹, Liang CM¹, Lu LS¹, Chiu CH³, Wu KL¹, Chiu YC¹, Hu TH¹, Chuah SK¹.

World J Gastroenterol. 2014 Jul 21;20(27):8947-56. doi: 10.3748/wjg.v20.i27.8947.

Fluoroquinolone-based protocols for eradication of Helicobacter pylori.

Rispo A, Capone P, Castiglione F, Pasquale L, Rea M, Caporaso N.

BISMUTH

Gut Liver. 2014 Jul 25. doi: 10.5009/gnl14020. [Epub ahead of print]

Efficacy of 7-Day and 14-Day Bismuth-Containing Quadruple Therapy and 7-Day and 14-Day Moxifloxacin-Based Triple Therapy as Second-Line Eradication for Helicobacter pylori Infection.

Lee ST, Lee DH, Lim JH, Kim N, Park YS, Shin CM, Jo HJ, Song IS.

World J Gastroenterol. 2014 Aug 14;20(30):10338-47. doi: 10.3748/wjg.v20.i30.10338.

Optimizing clarithromycin-containing therapy for Helicobacter pylori in the era of antibiotic resistance.

Molina-Infante J, Gisbert JP.

Aliment Pharmacol Ther. 2014 Jul;40(2):171-7. doi: 10.1111/apt.12808. Epub 2014 May 25.

Use of a combination formulation of bismuth, metronidazole and tetracycline with omeprazole as a rescue therapy for eradication of Helicobacter pylori.

Delchier JC1, Malfertheiner P, Thieroff-Ekerdt R.

Aliment Pharmacol Ther. 2014 Jul;40(2):171-7. doi: 10.1111/apt.12808. Epub 2014 May 25.

Use of a combination formulation of bismuth, metronidazole and tetracycline with omeprazole as a rescue therapy for eradication of Helicobacter pylori.

Delchier JC1, Malfertheiner P, Thieroff-Ekerdt R.